

CONTENTS

Volume 37

Research Letters

- Chronic fatal disease in gorillas seropositive for Simian T-lymphotropic virus I antibodies
J.R. Blakeslee, Jr., H.M. McClure, D.C. Anderson, R.M. Bauer, L.Y. Huff and R.G. Olsen 1-6
- Tobacco-specific nitrosamines in the saliva of Inuit snuff dippers in the Northwest Territories of Canada
K.D. Brunnemann, A.P. Hornby and H.F. Stich 7-16
- Cancer mortality among relatives of children with soft-tissue sarcoma: a national survey in Italy
G. Pastore, M.L. Mosso, M. Carli, P. Ghibardo, B. De Bernardi, A. Mancini, G. Pianca, P. Grotto and B. Terracini 17-24
- Effects of sex and age on DMBA:DNA binding in epidermis of SENCAR mice following topical administration of dimethylbenz[a]anthracene
M.A. Morse, W.M. Baird and G.P. Carlson 25-31
- Endotoxin shock and tumour necrosis factor release in mannoheptulose-treated mice
Y.M. Choy, C.P. Cheng, L.-U. Luey, S.-C. Loh, K.P. Fung and C.Y. Lee 33-39
- Relationship between 7,12-dimethyl- and 7,8,12-trimethylbenz[a]anthracene DNA adduct formation in hematopoietic organs and leukemogenic effects
M. Falzon, V.T. Vu, P.P. Roller and S.S. Thorgeirsson 41-49
- 5-Azacytidine carcinogenesis in BALB/c mice
A. Cavaliere, A. Bufalari and R. Vitali 51-58
- Human interferon-gamma increases adhesion of cultured carcinoma cells to the substratum
C. Marth, G. Daxenbichler, I. Mayer, G. Gastl, C. Huber and O. Dapunt 59-69
- Comparative metabolism of 7-methyl- and 7-ethylbenz[a]anthracene by rat-liver preparations
S. McKay and P.L. Grover 71-79
- Effect of the esophageal carcinogen methylbenzyl nitrosamine and of a putative potentiating factor, a trichothecene mycotoxin, on *O*⁶-methylguanine-DNA methyl transferase in rat esophagus and liver
V.M. Craddock and A.R. Henderson 81-86
- The influence of urinary tract infection on the incidence of urinary tract tumors in N-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide induced carcinogenesis in male Sprague-Dawley rats
S.L. Johansson, C. Anderström and P. Larsson 87-98
- The use of ¹²⁵I-lectin probes in defining plasma membrane carbohydrate moieties in 3 subpopulations of human colonic carcinoma cells
S. Chakrabarty and M.C. Brattain 99-108
- Effect of high fat and nutrient depleted diets on colon tumor formation in mice
N.J. Temple and S.M. El-Khatib 109-114
- Analysis of transcripts homologous to acyl-CoA oxidase and enoyl-CoA hydratase 3-hydroxyacyl-CoA dehydrogenase induced in rat liver by methylclofenapate

| | |
|---|---------|
| S. McQuaid, S.E.H. Russell, S.A. Withe, C.M. Pearson, C.R. Elcombe and P. Humphries | 115-121 |
| Announcements | 123-124 |

Review Letter

| | |
|--|---------|
| Species correlation in long-term carcinogenicity studies J.K. Haseman and J.E. Huff | 125-132 |
|--|---------|

Research Letters

| | |
|--|---------|
| Phenotypically selective promotion of diethylnitrosamine-initiated altered hepatocyte foci by dietary phenobarbital or a topically applied coal-derived organic mixture in male and female rats C. Peraino, D.A. Haugen, B.A. Carnes, C.A. Reilly, Jr., D.L. Springer and D.D. Mahlum | 133-138 |
| Nordihydroguaiaretic acid suppression of rat mammary carcinogenesis induced by <i>N</i> -methyl- <i>N</i> -nitrosourea D.L. McCormick and A.M. Spicer | 139-146 |
| Observation and quantification of aberrant crypts in the murine colon treated with a colon carcinogen: preliminary findings R.P. Bird | 147-151 |
| Tritiated-thymidine labeling of rectal epithelial cells in 'non-prep' biopsies of individuals at increased risk for colonic neoplasia M. Likpin, W.E. Enker and S.J. Winawer | 153-161 |
| Compared promoting potential of D-galactosamine, carbon tetrachloride and partial hepatectomy in rapid induction of preneoplastic liver lesions in the rat H. Tsuda, T. Masui, E. Ikawa, K. Imaida and N. Ito | 163-171 |
| Contribution of polycyclic aromatic hydrocarbons and nitro-derivatives to the carcinogenic impact of diesel engine exhaust condensate evaluated by implantation into the lungs of rats G. Grimmer, H. Brune, R. Deutsch-Wenzel, G. Dettbarn, J. Jacob, K.W. Naujack, U. Mohr and H. Ernst | 173-180 |
| The effect of hyperthermia on intracellular K ⁺ in Chinese hamster ovary cells D.A. Bates and W.J. Mackillop | 181-187 |
| Morphological alterations induced by prostaglandins E ₁ , F _{2α} and A ₁ in MDA-MB-231 and MCF-7 human breast cancer cell lines N. Chegini and A.R. Safa | 189-197 |
| The effect of fecapentaenes on nuclear aberrations in murine colonic epithelial cells D.J. Vaughan, R. Furrer, J. Baptista and J.J. Krepinsky | 199-203 |
| Irreversible inhibition of the cytosolic metabolism of <i>N</i> -hydroxy-2-acetylaminofluorene by its glycolyl analog L.O. Lim, B.R. Corbett and M.D. Corbett | 205-211 |
| The effect of exposure to elevated temperatures on membrane permeability to adriamycin in Chinese hamster ovary cells in vitro E.J. Osborne and W.J. Mackillop | 213-224 |
| Immunocytochemical localisation of VP16-213 in normal and malignant tissues H.P. Henneberry, G.W. Aherne and V. Marks | 225-233 |
| Book Reviews | 235-236 |
| Corrigendum and Erratum | 237 |
| Announcement | 239 |

Research Letters

| | |
|--|---------|
| Quantitative differences in the effects of mouse and human epidermal growth factors on A431 human tumor cells J.M. Connolly and D.P. Rose | 241-249 |
|--|---------|

| | |
|--|-----------|
| Specific inhibition of phorbol diester-induced granulocyte-macrophage progenitor cell (GM-CFU) differentiation by lipoxygenase inhibitors C.S. Baxter and A.T. Lawrence | 251 - 256 |
| ³² P-Postlabeling analysis of DNA adducts from non-alternant PAH using thin-layer and high performance liquid chromatography E.H. Weyand, J.E. Rice and E.J. LaVoie | 257 - 266 |
| Molecular comparisons of acquired and native mitomycin C resistance in human colon carcinoma cells S. Chakrabarty and M.G. Brattain | 267 - 276 |
| Tumorigenic activity of the tobacco-specific nitrosamines 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone (NNK), 4-(methylnitrosamino)-4-(3-pyridyl)-1-butanol (iso-NNAL) and N'-nitrosonornicotine (NNN) on topical application to Sencar mice E.J. LaVoie, G. Prokopczyk, J. Rigotty, A. Czech, A. Rivenson and J.D. Adams | 277 - 283 |
| Detection of epoxide hydrolase in rat hepatoma cell lines and primary rat liver cells by immunoblotting J.M. Hunt, C.-J. Guo and P.A. Desai | 285 - 291 |
| Activation of lymphocytes of normal and tumor bearing mice by magniferin, a naturally occurring glycosylxanthone U. Chattopadhyay, S. Das, S. Guha and S. Ghosal | 293 - 299 |
| Initiation, promotion and complete carcinogenesis by N-methyl-N'-nitro-N-nitrosoguanidine or ethylnitrosourea in the Sencar mouse skin tumorigenesis model J.F. O'Connell, S. Newnow and T.J. Slaga | 301 - 310 |
| Distribution of carbon tetrachloride-metabolite(s) to DNase I-sensitive and -resistant chromatin I.F. Oruambo and B.L. Van Duuren | 311 - 316 |
| Effect of phytic acid on colonic epithelial cell proliferation B.K. Nielsen, L.U. Thompson and R.P. Bird | 317 - 325 |
| Influence of mitoxantrone on nucleolar function in MDA-MB-231 human breast tumor cell line N. Chegini and A.R. Safa | 327 - 336 |
| Comparative carcinogenic potencies of 7H-dibenzo[c,g]carbazole, dibenz[a,j]acridine and benzo[a]pyrene in mouse skin D. Warshawsky and W. Barkley | 337 - 344 |
| Estrous cycle modification of rat uterine DNA alkylation by N-methyl-N-nitrosourea R.J. Braun, T.A. Ratko, J.M. Pezzuto and C.W. Beattie | 345 - 352 |
| Subject Index - Volume 37 | 353 - 356 |
| Author Index - Volume 37 | 357 - 358 |
| Contents - Volume 37 | 359 - 361 |